Verbatim LED Downlight 235mm 24W 4000K 1700lm

Product Number	52427
General Data	
Housing material	Aluminium, Polycarbonate Cover
Housing colour	White
Protection class	IP20
Geometric Data	
Length (mm)	67.5
Outer diameter (mm)	235
Inner diameter (mm)	216
Weight (g)	796
Electric Data	
Wattage (W)	24
Voltage (V)	220-240
Power Factor	0.90
Operating Frequency (Hz)	50-60
Safety Class	Class III
Power supply	external
Photometric Data	
Luminous Flux (lm)	1700
CRI	80
CCT (K)	4000
Luminous Efficacy (lm/W)	70.83
Luminous Intensity (cd)	700
Beam Angle (°)	90
Lifespan	
Lifetime (hrs)	30,000
Switching Cycle	20,000
Dimmable	no

24/10/2014

Lifestyle image

Technical Drawings



A	67.5mm
B	235mm
C*	216mm

*cut out diameter

24/10/2014

Photometric Diagrams





24/10/2014

Energy Rating



Technical Packaging Details

Barcode
023942524274

EAN 128
(02)00023942524274(37)04(91)204

EAN 14
50023942524279

Pack Dimensions(HxWxL)
118 x 238 x 238 (mm)

MOQ
4

Carton Dimensions (HxWxL)
255 x 246 x 490 (mm)

Cartons/Pallet
18

Layers/Pallet
3

Units/Pallet
72

24/10/2014